



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 21-Apr-2021

Revision Date 21-Apr-2021

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 99-0516
Product Name FILTER OIL; 12.25 OZ AEROSOL SPRAY
Synonyms None

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Air filter moisturization
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier
K&N Engineering, Inc.
1455 Citrus Street
Riverside, CA 92507
+1 469-805-6936

For further information, please contact

E-mail address compliance@knfilters.com

1.4. Emergency telephone number

Emergency telephone CHEMTREC (UK): 44-870-8200418 and 44-2038073798

Emergency telephone - §45 - (EC)1272/2008

Europe	112
--------	-----

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Aerosols	Category 1 - (H222, H229)
Gases under pressure	Liquefied gas - (H280)

2.2. Label elements



Signal word

Danger

Hazard statements

- H315 - Causes skin irritation
- H319 - Causes serious eye irritation
- H222 - Extremely flammable aerosol
- H229 - Pressurised container: May burst if heated
- H280 - Contains gas under pressure; may explode if heated

Precautionary Statements - EU (§28, 1272/2008)

- P264 - Wash face, hands and any exposed skin thoroughly after handling
- P280 - Wear protective gloves and eye/face protection
- P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P211 - Do not spray on an open flame or other ignition source
- P251 - Do not pierce or burn, even after use
- P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

2.3. Other hazards

May be harmful if swallowed. Harmful to aquatic life.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Sodium metasilicate 6834-92-0	1.25	No data available	229-912-9	Skin Corr. 1B (H314) STOT SE 3 (H335)	-	-	-
Sodium nitrite 7632-00-0	0.75	No data available	231-555-9	Acute Tox. 3 (H301) Aquatic Acute 1 (H400) Ox. Sol. 3 (H272)	-	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Sodium metasilicate 6834-92-0	1153	No data available	No data available	No data available	No data available
Sodium nitrite	85	No data available	5.5	No data available	No data available

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
7632-00-0					

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

- General advice** Show this safety data sheet to the doctor in attendance.
- Inhalation** Get medical attention immediately if symptoms occur. Remove to fresh air.
- Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
- Skin contact** In case of contact with liquefied gas, thaw frosted parts with lukewarm water. Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
- Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.
- Self-protection of the first aider** Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms** May cause redness and tearing of the eyes. Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

- Note to doctors** Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable Extinguishing Media** Dry chemical. Carbon dioxide (CO2). Water spray.
- Unsuitable extinguishing media** DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

5.2. Special hazards arising from the substance or mixture

- Specific hazards arising from the chemical** Risk of ignition. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Ruptured cylinders may rocket.
- Hazardous combustion products** Oxides of sulphur. Aldehydes. Ketones and their derivatives. Carbon monoxide. Organic compounds.

5.3. Advice for firefighters

Specific/special fire-fighting measures	Fires need to be assessed to determine appropriate protocols and safety measures for firefighting, including establishing safe zones, extinguishing media to be used, firefighter protection, and actions to control or extinguish the fire.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Avoid breathing dust/fume/gas/mist/vapours/spray. Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. See section 8 for more information. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Extremely slippery when spilled.
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.
----------------------------------	--

6.3. Methods and material for containment and cleaning up

Methods for containment	Stop leak if you can do it without risk. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Flood with water to complete polymerization and scrape off floor.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections	See section 8 for more information. See section 13 for more information.
------------------------------------	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. In case of rupture. Avoid breathing vapours or mists. Use personal protection equipment. Do not puncture or incinerate cans. Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Take off contaminated clothing and wash it before reuse. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.
--------------------------------	--

General hygiene considerations Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals. Keep in properly labelled containers. Protect from sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific use(s).
No information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	Ireland	Italy	Italy REL	Latvia	Lithuania
Sodium nitrite 7632-00-0	-	-	-	-	Ceiling: 0.1 mg/m ³

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Personal protective equipment

Eye/face protection Tight sealing safety goggles. Eye protection must conform to standard EN 166.

Hand protection Impervious gloves. Wear suitable gloves. Gloves must conform to standard EN 374.

Skin and body protection Chemical resistant apron. Antistatic boots. Long sleeved clothing. Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Oily liquid
Physical state	Aerosol
Colour	Red
Odour	Odourless
Odour threshold	No information available

Property	Values	Remarks • Method
Melting point / freezing point		No data available
Initial boiling point and boiling range	> 260 °C	
Flammability		Extremely flammable aerosol
Flammability Limit in Air		
Upper flammability or explosive limits		No data available
Lower flammability or explosive limits		No data available
Flash point	> -94 °C	
Autoignition temperature		No data available
Decomposition temperature		No data available
pH		No data available
pH (as aqueous solution)		No data available
Kinematic viscosity	7.5 mm ² /s	
Dynamic viscosity		No data available
Water solubility		No data available
Solubility(ies)		No data available
Partition coefficient		No data available
Vapour pressure		No data available
Relative density	0.864	
Bulk density		No data available
Liquid Density		No data available
Vapour density		No data available
Particle characteristics		
Particle Size		No data available
Particle Size Distribution		No data available

9.2. Other information

9.2.1. Information with regards to physical hazard classes
Not applicable

9.2.2. Other safety characteristics
No information available

Sensitivity to mechanical impact Yes

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity None under normal use conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact Yes.

Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks. Extremes of temperature and direct sunlight.

10.5. Incompatible materials

Incompatible materials Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

- Inhalation** Specific test data for the substance or mixture is not available. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. May cause irritation of respiratory tract.
- Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
- Skin contact** Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
- Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium metasilicate	= 1153 mg/kg (Rat)	-	-
Sodium nitrite	= 85 mg/kg (Rat)	-	= 5.5 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

- Skin corrosion/irritation** Classification based on data available for ingredients. Irritating to skin.
- Serious eye damage/eye irritation** Classification based on data available for ingredients. Causes serious eye irritation.
- Respiratory or skin sensitisation** No information available.

Germ cell mutagenicity No information available.
 Carcinogenicity No information available.
 Reproductive toxicity No information available.
 STOT - single exposure No information available.
 STOT - repeated exposure No information available.
 Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium metasilicate	-	LC50: =210mg/L (96h, Brachydanio rerio)	-	-
Sodium nitrite	-	LC50: =0.19mg/L (96h, Oncorhynchus mykiss) LC50: 0.092 - 0.13mg/L (96h, Oncorhynchus mykiss) LC50: 0.4 - 0.6mg/L (96h, Oncorhynchus mykiss) LC50: 0.65 - 1mg/L (96h, Oncorhynchus mykiss) LC50: =2.3mg/L (96h, Pimephales promelas) LC50: =20mg/L (96h, Pimephales promelas)	-	-

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Sodium nitrite	-3.7

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Sodium metasilicate	The substance is not PBT / vPvB PBT assessment does not apply
Sodium nitrite	The substance is not PBT / vPvB PBT assessment does not apply

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

Waste codes / waste designations according to EWC / AVV According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

IMDG

- 14.1 UN number or ID number UN1950
- 14.2 UN proper shipping name AEROSOLS
- 14.3 Transport hazard class(es) 2.1
- 14.4 Packing group Not regulated
- Description UN1950, AEROSOLS, 2.1
- 14.5 Environmental hazards Not applicable
- Marine pollutant NP
- 14.6 Special Precautions for Users
- Special Provisions 63,190, 277, 327, 344, 381, 959
- EmS-No F-D, S-U
- 14.7 Maritime transport in bulk according to IMO instruments No information available

RID

- 14.1 UN number UN1950
- 14.2 UN proper shipping name AEROSOLS
- 14.3 Transport hazard class(es) 2.1
- Labels 2.1
- 14.4 Packing group Not regulated
- Description UN1950, AEROSOLS, 2.1
- 14.5 Environmental hazards Not applicable

14.6 Special Precautions for Users

Special Provisions None
Classification code 5F

ADR

14.1 UN number or ID number UN1950
14.2 UN proper shipping name AEROSOLS
14.3 Transport hazard class(es) 2.1
Labels 2.1
14.4 Packing group Not regulated
Description UN1950, AEROSOLS, 2.1
14.5 Environmental hazards Not applicable
14.6 Special Precautions for Users
Special Provisions 190, 327, 344, 625
Classification code 5F
Tunnel restriction code (D)

IATA

14.1 UN number or ID number UN1950
14.2 UN proper shipping name Aerosols, flammable
14.3 Transport hazard class(es) 2.1
14.4 Packing group Not regulated
Description UN1950, Aerosols, flammable, 2.1
14.5 Environmental hazards Not applicable
14.6 Special Precautions for Users
Special Provisions A145, A167, A802
ERG Code 10L
Note: None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Germany

Water hazard class (WGK) obviously hazardous to water (WGK 2)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV). This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

P3a - FLAMMABLE AEROSOLS
 P3b - FLAMMABLE AEROSOLS

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

International Inventories

Contact supplier for inventory compliance status

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

- H272 - May intensify fire; oxidiser
- H301 - Toxic if swallowed
- H314 - Causes severe skin burns and eye damage
- H335 - May cause respiratory irritation
- H400 - Very toxic to aquatic life

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
	On basis of test data
Gases under pressure	On basis of test data

Key literature references and sources for data used to compile the SDS

- U.S. Environmental Protection Agency ChemView Database
- European Food Safety Authority (EFSA)
- EPA (Environmental Protection Agency)
- Acute Exposure Guideline Level(s) (AEGl(s))
- U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
 Organisation for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Issuing Date 21-Apr-2021
Revision Date 21-Apr-2021
Revision Note Initial Release.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet